



REPORT No. 7903 DECEMBER 1979

ADA 080985

**Donald R. Gentner** 

S FILE COPY

COACH: A SCHEMA-BASED TUTOR



UNIVERSITY OF CALIFORNIA, SAN DIEGO



CENTER FOR HUMAN INFORMATION PROCESSING LA JOLLA, CALIFORNIA 92093

This research was supported by the Advanced Research Projects Agency and the Office of Naval Research, Personnel and Training Research Programs and was monitored by ONR under Contract N00014-76-C-0628, NR 154-387, under terms of ARPA Order No. 2284. The views and conclusions contained in this document are those of the author and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Advanced Research Projects Agency, of the Office of Naval Research, or the United States Government.

Approved for public release; distribution unlimited. Reproduction in whole of part is permitted for any purpose of the United States Government.

80 2 20 04

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

	REPORT DOCUMENTATION PAGE	
I. REPORT NUMBER	2. GOVT ACCESSION N	IO. 3. RECIPIENT'S CATALOG NUMBER
7903		
TITLE (and Subtitle)		TYPE OF REPORT & PERIOD COVERE
Coach: A schema-based tut	cor 。	Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		S. CONTRACT OR GRANT NUMBER(s)
Donald R. Gentner	( .	NØØØ14-76-C-06289
		NØØØ14-79-C-0323
PERFORMING ORGANIZATION NAME AND ADD	DRESS	10. PROGRAM ELEMENT, PROJECT, TASK
Center for Human Information Processing / University of California, San Diego		AREA & WORK UNIT NUMBERS
		NR 154-387
La Jolla, CA 92093		NR 157-437
Personnel and Training Resear		December 1979
Personnel and Training Research Programs Office of Naval Research (Code 458)		13. NUMBER OF PAGES
Arlington, VA 22217		20
14. MONITORING AGENCY NAME & ADDRESS(II de	Ifferent from Controlling Office	15. SECURITY CLASS. (of this report)
	(12/27	Unclassified
	41	15a. DECLASSIFICATION/DOWNGRADING
Approved for public release;		
17. DISTRIBUTION STATEMENT (of the abetract or	ntered in Block 20, if different	from Report)
18. SUPPLEMENTARY NOTES		
9. KEY WORDS (Continue on reverse side if necess	eary and identify by block number	ber)
9. KEY WORDS (Continue on reverse elde il necessa Automated tutor, computer-bas instructional theory, model o schema, semantic network, tea	ed instruction, in of the student, rep	dividualized instruction.
Automated tutor, computer-bas instructional theory, model o schema, semantic network, tea	ed instruction, in fine the student, repart the student, repart the student in th	ndividualized instruction, presentation of information,
instructional theory, model o schema, semantic network, tea	ed instruction, in of the student, repairing.  ery and identity by block number outer simulation of better derstandings difficulties, cogramming language enting the tutor's semantic network, ed processing which	endividualized instruction, oresentation of information,  a human tutor, was constructing about how a tutor interpresent and gives advice to a stude a. Coach is based on a hiera general concepts, more speciand the coordination of data

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE S/N 0102-LF 014-6601 Inclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

408267

toB

# Coach A Schema-Based Tutor

Donald R. Gentner

Center for Human Information Processing University of California, San Diego

ACCESSION	or	
NTIS		ection M
DDC	Buff Se	
UNANNOUNC		0
JUSTIFICATIO	)N	
DISTRIBUTIO	H/AYAHABILI	IT CHUES
Dist. AV	IL and/o	PECIAL
A		_

The work reported in this paper was carried out in collaboration with Donald A. Norman, David E. Rumelhart, and Mark R. Wallen. This research was supported by the Office of Naval Research, Personnel and Training Research Programs and the Advanced Research Projects Agency, and was monitored by ONR under Contract N00014-76-C-0628, NR 154-387, under terms of ARPA Order No. 2284.

# COACH: A SCHEMA-BASED TUTOR

### Abstract

The Coach system, a computer simulation of a human tutor, was constructed with the goal of obtaining of a better understanding of how a tutor interprets the student's behavior, diagnoses difficulties, and gives advice. Coach gives advice to a student who is learning a simple computer programming language. Its intelligence is based on a hierarchy of active schemas which represent the tutor's general concepts, and on more specific information represented in a semantic network. The coordination of conceptually-guided and data-driven processing enables the Coach system to interpret student behavior, recognize errors, give advice to the student.

#### Introduction

This paper describes the Coach system, an intelligent computer-based instructional system which uses a schema representation of knowledge to interpret student actions and to give advice to the student. The Coach system gives advice to a student learning FLOW, a simple computer programming language. FLOW is similar to BASIC, with about fifteen different statements, three commands, and simple debugging aids. It is based on a language originally developed by Raskin (1974) as an introductory computer language. Earlier versions of the FLOW tutor used declarative representations of schemas (Gentner & Norman, 1977; Gentner, 1979), in contrast with the present Coach system where schemas are active processes.

The Coach system falls within the tradition of intelligent computer-assisted instructional systems originated by Carbonell (1970) and continued by such workers as Burton and Brown, Miller, and Goldstein (see the collection edited by Sleeman and Brown, 1979) The basic principles of the Coach system can be summarized briefly:

a) The Coach system is based on a set of active processes, called schemas, which interpret the student's behavior, detect errors, and generate advice to the student. The schemas form a nested hierarchy to represent generic concepts such as programming constructs, the structure of written text, teaching strategies, common errors, and individual keypresses.

b) Specific information, such as the instructional manual, the structure of the FLOW language, and the tutor's current model of the student, is represented in a semantic network.

c) Conceptually-guided processing. The tutor expands high-level schemas into their component lower-level schemas to predict and observe student behavior, solve programming problems, and give advice. When schemas are unable to find the predicted student behavior, they may suspend processing, but keep the entire structure of predictions intact for possible reactivation later.

d) Data-driven processing. Unexpected student actions activate low-level schemas which attempt to assemble themselves into structures of schemas representing errors or alternate correct actions.

e) Conceptually-guided and data-driven processes may interact in several ways. Higher-level schemas can incorporate already existing structures of schemas which have been generating by data-driven processing. Lower-level schemas can directly or indirectly activate high-level schemas which they hope will eventually incorporate them by conceptually-guided processing.

f) The sequence of processing is primarily controlled by the individual schemas which activate related higher or lower level schemas. There is also a global agenda of schemas waiting to be activated, typically containing one to three high-level schemas.

## Basic structure and operation of schemas

The Coach system is implemented in Micro-Sol, a language which constructs, modifies and interprets active semantic network structures. Micro-Sol is based on Sol (Norman, Rumelhart & the LNR Research Group, 1975), but lacks the natural language capabilities of Sol. Micro-Sol currently runs on a PDP 11/45 minicomputer.

Schemas in the Coach system are used to represent concepts at many levels. At the highest level there are schemas such as those for instructional manuals and the functions of programs. There are schemas for program constructs such as loops, for common student errors, and for the statements in the FLOW language. At the lowest level there are the schemas for the individual keypresses and periods of student inactivity. Schema have arguments, which serve to distinguish the various instances of a given schema. I have used a family analogy to describe the hierarchically nested schemas: the sub-parts of a schema are referred to as the children of the schema; the schema is itself normally part of a higher-level schema known as the parent.

A schema in the Coach system corresponds to a restricted type of procedural definition in Micro-Sol. Figure 1 shows the general structure of a schema definition. When a schema becomes active, it searches for its component children by activating the corresponding schemas. If a child is absent, the schema normally suspends operation and returns to its parent with the truth value "maybe", indicating that it was unable to complete itself. If a suspended schema is later reactivated, the schema starts up again at the place where it suspended. When all its children have been found, the schema may perform some actions, such as updating the model of the student. Next the schema determines whether it was originally invoked by a higher-level parent schema. If not, i.e. when the schema is an orphan, the schema suggests some possible parents by putting their schemas on an agenda. Instead of merely suggesting possible parents, an orphaned schema which is more confident of its function may directly activate a potential parent. Finally, the schema returns to the procedure which originally activated it with a truth value of "true", indicating that the schema is complete. In the normal case where the schema has a parent, it would be returning to its parent. If a schema is completely unable to find its children, it can return to its parent with a truth value of "false".

The collection of schemas makes up a distributed intelligence system, without an overall executive procedure. The highest level process in the Coach system simply activates the next schema on the agenda. Information flow is primarily restricted to communication from parent to child (via the arguments used when invoking the child's schema) and from child to parent (a child returns with a truth value indicating whether or not it is complete). In addition, information represented in the semantic network is available to any schema. Many of the schemas maintain or have access to the model of the student, which allows them to coordinate a changing strategy as the student progresses thru the learning task. The Coach system also includes a FLOW simulator which maintains a semantic network representation of the student's terminal screen, current program, and command state.

```
define schema-1 (argument-1 argument-2)

if 1st child is absent, suspend here and return (maybe)
if 2nd child is absent, suspend here and return (maybe)
if 3rd child is absent, suspend here and return (maybe)
perform actions
if orphaned,

suggest possible-parent-1
suggest possible-parent-2
return (true).
```

Figure 1. The general structure of a schema.

### The tutorial environment

To illustrate the operation of the schemas, I will give a series of examples showing how the Coach system analyzes a student's behavior, but first I need to describe the general instructional setup.

Schema-based interpretation

Figure 2 shows a typical experimental arrangement, in this case with a human tutor. On the right, a student is shown in top view, sitting at a terminal that is connected to a minicomputer where the student can enter and execute FLOW computer programs. The student has an instruction booklet that contains a general discussion of computers and computer languages, a description of the FLOW language, examples to try, and problems to solve. The minicomputer executes the student's FLOW programs and thus provides the student with feedback. The system also provides a line-at-a-time execution mode to help the student debug programs. The instructional booklet is fairly complete, and in principle the student could go through the whole booklet without help. Most students, however, have considerable difficulty in completing the instructional sequence without help. In the arrangement shown in Figure 2 there is a tutor in another room who sits in front of a CRT terminal which displays a copy of everything appearing on the student's terminal. The student and tutor can send messages to each other on a pair of interconnected terminals. There are no restrictions on the messages from the tutor, but the student's messages to the tutor are limited to "yes", "no", "ok", and "help".

We record the student's keypresses and the corresponding times for later use. Figure 3 shows an annotated portion of a student record, along with advice produced by the Coach system. The left column gives the time in seconds since the beginning of the session; the student's keypresses are to the right. When the student does not press a key for 11 seconds, the minicomputer indicates a quiet period. Although this record seems rather cryptic at first, human tutors experienced in teaching FLOW can use it to interpret student behavior almost as easily as they can interpret a copy of the student's terminal screen. The task of the Coach system is to interpret this record of keypresses in terms of the student's progress thru the instructional sequence and to give the student appropriate advice when needed. Our primary concern in this research is to learn what general knowledge, specific information, and processing capabilities a tutor must have to perform this task.

#### Conceptually-guided prediction

To illustrate how Coach uses conceptually-guided processing to predict and interpret student actions, I present an example in some detail, showing Coach's interpretation of the portion of the student protocol shown in Figure 3.

The example begins with Figure 4, which shows a trace of Coach's processing starting just after the student has pressed the R key to run the current program. That action has completed problem-8 and paragraph-13 in the FLOW instruction manual. The top level schema, manual, is now active. (The names of schemas are italicized.) The manual schema has a single argument, the title of the manual (in this case "The FLOW Manual"). It expects the student to complete a series of paragraphs in the instructional manual. The manual schema examines the node for "The FLOW Manual" in the semantic network to get the names of the paragraphs, and then activates the paragraph schema with the name of the next paragraph, paragraph-14, as its argument. This action is reflected in line 2 of the Coach trace in Figure 4. Figure 5 shows the definition of the paragraph schema, a typical schema. After first checking to see whether it contains a programming problem in addition to the text, the paragraph schema expects the student to complete the text and then updates the reading rate in its model of the student. Next it expects the student to complete the problem, if present. Finally, when all its children are complete, it normally returns to its parent, the manual schema. If it is orphaned, however, it will activate




Figure 2. The FLOW instructional setting.

```
--section omitted--
00691 quiet
00702 quiet
00713 quiet
                                 (Student is reading instruction manual.)
  --section omitted--
00922 quiet
00933 quiet
00944 quiet
00952 RUBOUT
                                 (Student presses incorrect keys.)
00954 D
00965 quiet
00976 quiet
00987 quiet
00998 quiet
TUTOR: I think you are trying to modify your program
        You should list your program first.
01003 RUBOUT
                                 (Student presses additional incorrect
01010 R
                                 keys. Except for "R", they have no
01021 quiet
                                 effect, since they are illegal in this
01022 RUBOUT
                                 context.)
01033 X
01035 D
01046 quiet
01057 quiet
TUTOR: I was expecting you to list your program
        You should press the L key.
01069 L
01079 quiet
01090 quiet
01094 RUBOUT
                                 (Student goes on to solve the problem.)
01099 RUBOUT
01105 1
01107 5
                                 (The "SPACE" and "D" keypresses are
01113 SPACE
                                 incorrect, but Coach does not give advice
01124 quiet
01127 D
                                 since the student does not pause long
01128 SPACE
                                 enough.)
01139 quiet
01150 quiet
01161 quiet
01170 SPACE
01175 QUOTE
01177 SPACE
01178 QUOTE
```

Figure 3. Partial student record. The time in seconds since the beginning of the session and the corresponding keypresses are shown. Advice was generated by the Coach system.

```
--section omitted--
2
        Expecting paragraph paragraph-14
3
        Expecting text text-14 true
4
        Expecting read (41) true
5
        Expecting pause (61) (246)
6
        Expecting quiet nil
7
        OBSERVING
                           00691 quiet.
8
        Student completed quiet (691)
9
        Expecting quiet nil
10
        OBSERVING
                           00702 quiet.
11
        Student completed quiet ( 702 )
12
          --section omitted--
13
        Expecting quiet nil
14
        OBSERVING
                           00933 quiet.
15
        Student completed quiet ( 933 )
16
        Student is still pausing after 253 seconds.
17
        Student completed pause (61) (246)
18
        Student completed read (41) true
19
        Student read about replace
20
        Student read about delete
21
        Student read about insertt
22
        Student read about modify
23
        Student completed text text-14 true
24
        Student's current reading rate is 4 sec/line.
25
        Expecting problem problem-9
26
        Expecting modify *02512
27
        *02512
28
                 isainverse *02536
                                      [ display MARY ]
29
                 isainverse *02538
                                       [ display SPACE ]
30
                 isainverse *02540
                                      [ display SMITH ]
31
        Expecting List
32
        Expecting L nil
33
        OBSERVING
                           00944 quiet.
```

Figure 4. An excerpt of the Coach trace (Part1).

```
define "paragraph" (:name)
        if (firstnode (from :name via problemname)
                call (the firstnode :cproblem)
                call (true :problem-flag)
                ))
        firstnode (from :name via textname)
        if (absent (text (the firstnode :problem-flag) for token)
                suspend ("3" newnode the newnode maybe))
        update-reading-rate
        if (:problem-flag
                if (absent (problem (:cproblem) for token)
                        suspend ("5" newnode the newnode maybe)))
        if (orphaned (token)
                &(
                call (firstnode (from :name via contained-in) :man-name)
                push (manual (:man-name))
        return (token true).
```

Figure 5. The schema for paragraph.

q

the *manual* schema directly. In the example shown in Figure 4, as the schema *paragraph* (paragraph-14) is activated, it examines the semantic network representation of the The FLOW Manual and finds that paragraph-14 contains problem-9 and text-14, and then activates the *text* schema with the argument "text-14" as reflected in line 3 of the trace. (The second argument of *text*, "true", indicates that the paragraph also contains a problem.)

In a similar manner, the *text* schema determines from the semantic network that text-14 contains 41 lines of text, and activates the *read* schema with 41 as its argument. *Read* then checks the student model to find that student's current reading rate is 3 seconds per line, and activates the *pause* schema, expecting a pause of between 61 and 246 seconds (half and twice the estimated time). Finally the *pause* schema activates a *quiet* schema. Like the schemas for keypresses, the *quiet* schema is a bottom-level schema and it checks to see if the student has actually been quiet for an 11 second period. In this case, there was a quiet period ending at time 00691; the *quiet* schema is completed, and it returns to *pause*, its parent schema.

Before continuing, let us review briefly what has happened. Coach has used the schemas, the semantic network representation of the instructional manual, and the model of the student to predict a period of quiet while the student is reading the text in paragraph-14. When that quiet is observed, Coach assumes that the student is reading. In another context, a period of quiet could mean that the student having difficulty or working on a problem, but conceptually-guided processing has allowed Coach to interpret what otherwise would be an ambiguous event.

When the pause schema detects the completed quiet schema at line 8 of Figure 4, it determines that the maximum expected pause length has not yet occurred and expects another period of quiet. This sequence repeats a number of times as the student continues to pause. Normally the pause schema would terminate when the student pressed a key, but in this case the pause runs to the full length. The pause and read schemas then return, complete. The text schema next examines the representation of the FLOW manual to determine what topics were covered in text-14, updates the model of the student accordingly, and returns (lines 19-23). Finally, the paragraph schema updates the student's reading rate and then expects the student to do problem-9.

## Data-driven invocation

As long as the student's actions match Coach's expectations, conceptually-guided prediction provides a natural and efficient means of interpreting the student's keypresses. Often the student's actions do not match predictions, however, and the tutor needs a way of responding to these unexpected events. Coach uses data-driven invocation of schemas to initiate interpretation of unpredicted student actions. There are two modes of invocation: suggesting and pushing.

Figure 6 shows an example of a data-driven suggestion. This section of the trace follows immediately after that shown in Figure 4. Up until this point, the student's actions have matched Coach's expectations and the interpretation has proceeded smoothly. On line 1 of Figure 6, however, Coach is expecting an L and instead there is another period of quiet at time 00944. A quiet schema is activated, and it suggests (puts on the agenda) a schema for unexpected-pause. The L schema and all the unsatisfied parents above it suspend themselves, and the next item on the agenda, the unexpected-pause schema, is activated. Unexpected-pause preempts the orphaned quiet schema (line 13) and expects further quiet. (If a 60 second pause is observed, unexpected-pause will initiate advice to the student.) Instead of more quiet, however, the student presses the RUBOUT key. The unexpected-pause schema, having failed to observe an additional period of quiet, reports the 19 second pause which it did find, and then terminates.

1	OBSERVING 00944 quiet.			
2	quiet ( 944 ) suggests unexpected-pause			
3	L suspending			
4	List suspending			
5	modify suspending			
6	problem suspending			
7	paragraph suspending			
8	Current agenda			
9	agenda			
10	unexpected-pause #02526			
11	manual manual-02575			
12	Student is pausing unexpectedly.			
13	unexpected-pause preempts quiet ( 944 )			
14	Expecting quiet nil			
15	OBSERVING 00952 RUBOUT.			
16	illegal key RUBOUT ( 952 )			
17	RUBOUT ( 952 ) suggests out-of-order *02581			
18	Did not observe quiet nil			
19	Student unexpectedly paused for 19 seconds.			
20	Current agenda			
21	agenda			
22	manual manual-02575			
23	out-of-order #02580			
24	Reactivating suspended schema paragraph-02575			
25	Reactivating suspended schema problem-02575			
26	Reactivating suspended schema modify-02575			
27	Reactivating suspended schema List-02575			
28	Reactivating suspended schema L-02575			
29	OBSERVING 00954 D.			
30	illegal key D (954)			
31	D (954) suggests out-of-order #02593			
32	L suspending			
33	List suspending			
34	modify suspending			
35	problem suspending			
36	paragraph suspending			

Figure 6. An excerpt of the Coach trace (Part2).

11

In addition to suggesting possible parents by placing them on the agenda, schemas can directly activate a parent schema. This second type of data-driven invocation is called "pushing", and allows a low-level schema to directly control the flow of processing. Note that an orphaned schema cannot directly link itself to a parent schema; an orphan can only suggest or push a parent, which then when has the option of accepting or rejecting the orphaned schema.

## Suspension and re-activation of schemas

In a system such as Coach, which interprets information serially, expectations that are not met at first may be fulfilled later. We need a mechanism to terminate a chain of reasoning if it runs into difficulty, with the possibility of reactivating it later when it might be more successful. In the meantime, processing should focus on the unexpected current events.

Corresponding to the ability of human tutors to hold a set of expectations temporarily in abeyance, schemas in the Coach system can suspend themselves if they fail to find a child and allow processing to proceed on other topics. Schemas can suspend whenever they fail to find an expected child. If they are reactivated later, they resume processing where they suspended and search again for the missing child.

Two examples of the suspension and reactivation of schemas are shown in the Coach trace. The first example is in Figure 6. At the beginning of this section of the trace, Coach had developed a line of conceptually-guided prediction culminating in the L schema, which then observed the student. Instead of an L keypress, however, the L schema found a quiet period (line 2). It suspended itself and returned with the truth value of "maybe" to the L schema which had activated it. The L ist schema was thus incomplete, and suspended itself in turn. In a similar fashion the entire predicted chain of schemas suspends itself, until finally the top-level schema, m anual, suspends and places itself on the global agenda. Only the top-level schema in a chain places itself on the agenda; the other suspended schemas remain linked to their respective parents.

After the unexpected-pause schema is activated and terminates (lines 12-19), the suspended manual schema comes up on the agenda and is reactivated. Reactivated schemas start out processing at the point where they had suspended. In this case the reactivated manual schema starts by looking for paragraph-14 (rather than paragraph-1, as a freshly activated manual schema would do), reactivating the suspended paragraph schema on line 24.

The paragraph schema suspended when it was unable to find a completed schema for problem-9, and it starts by reactivating the schema for problem-9. In a similar way the remaining schemas in the chain are reactivated, until finally the L schema observes the student. The L schema finds that the student has pressed the D key, and the entire sequence of schemas, from L thru manual, suspends once again (lines 32-36).

This sequence of developing a line of expectations, suspending it to attend to unexpected data, and reactivating the intact line of expectations later, might be better simulated with a parallel processing implementation of the tutor, but the suspension and reactivation of schemas gives us many of the essential features of multiple lines of interpretation within a serial processing implementation.

#### Solving problems

In addition to enabling Coach to follow the student's progress thru the instructional manual, another important use of conceptually-guided prediction is in the solution of FLOW programming problems. Coach interprets the student's solutions to programming problems by "solving" the problem for itself and predicting that the student will solve the problem in the same manner. The problems in the

FLOW Instructional Manual are simple enough that Coach, starting with a functional description of the computer program needed, can effectively write the program by instantiating the schemas for the functions involved. This will be illustrated by examining how Coach solves problem-9.

In problem-8, the student ran the program shown in Figure 7. The output which this program produced is shown in the lower part of the figure. (The student's name has been changed.) After describing various ways to modify a program, the instruction manual states problem-9:

Choose one (or all) of these methods and modify your program so that it displays your name with a space between your first and last names.

Coach starts with a corresponding representation of the problem in its semantic network:

modify to set-of (display (firstname) display ("SPACE") display (lastname)).

On line 25 of Figure 4, after concluding that the student has completed text-14, a schema for problem is activated. The problem schema finds the description of problem-9 in the semantic network, and activates the modify schema. The argument of the modify schema, shown on lines 27 - 30, is essentially a functional description of the required program. The proper values for firstname and lastname were obtained from the model of the student as Coach instantiated the modify schema. According to the definition of the *modify* schema, before a program can be modified, it must be displayed on the screen using the LIST command. Since the screen now contains the output from the previous run, Coach predicts that the student will press the L key to list the program. After the student finally lists the program, Coach continues with the solution to problem-9 in a section of the trace not shown here. The modify schema calculates the function of the student's current program, compares that to the desired program function, and finds that a display SPACE function must be inserted after line 10. Eventually, Coach deduces that the statement number must be changed to a number between 11 and 19, which requires the student to press the RUBOUT key. Later Coach continues the solution of the problem. expanding the schema for displaying a SPACE into a schema for a display-quoted-string statement, and finally a D keypress. After a few false starts, the student presses the D key, and Coach goes on to predict a quoted string consisting of the key sequence QUOTE, SPACE, and QUOTE.

Thus the unfolding definitions of schemas allow the Coach system to predict how the student will solve the problem. Of course even these simple problems have more than one correct solution. If the student chooses to solve the problem in a different manner, Coach has to use data-driven processing to build up a schema giving a functional description of the student's program, which can then match a predicted schema representing the intended function of the program.

#### Error schemas

A major function of data-driven processing in the Coach system is the recognition of errors. Coach is intended to simulate an experienced tutor and includes schemas which represent the common types of errors which students make. Schemas invoked by data-driven processing can suggest or push any schemas, including these error schemas. When they are activated, the error schemas search for their children in the normal manner. Successful completion of an error schema corresponds to the recognition of a student error. Once an error has been recognized, Coach normally does not give immediate advice, but rather allows the students to try to recover from the error on their own, and then gives advice when the students pause.

13

010 DISPLAY "MARY" 020 DISPLAY "SMITH" 030

MARYSMITH

Figure 7. The student's current program and the resulting output.

The Coach trace shows a good example of error interpretation. On line 15 of Figure 6, when Coach was expecting a quiet period, the student pressed the RUBOUT key. The student has just run the current program and the RUBOUT key is illegal in this context. The RUBOUT schema, like the schemas for all other illegal keys, suggests an out-of-order schema (with the RUBOUT schema as its argument), which will eventually try to determine if the RUBOUT key was part of a predicted schema but out of order. The next item on the agenda, however, is the suspended manual schema, which reactivates all its children and eventually leads to the observation of a D keypress on line 29. The D key is also illegal, and the D schema suggests another out-of-order schema.

After the active schemas suspend, the next item on the agenda, at the top of Figure 8, is the out-of-order (RUBOUT) schema. Out-of-order waits for the student to pause 40 seconds before doing any investigation. In the example shown here, the student paused for 44 seconds (line 16), so out-of-order tries to determine if the RUBOUT could be a part of a predicted schema. It makes up a target set consisting of all the currently unsatisfied schemas: schemas lacking either parents or children. Out-of-order then refers to the semantic network representation of information about the FLOW language and, starting at RUBOUT, does a breadth-first search along the relation "part-of" looking for a schema in the target set. It eventually finds on line 34 that RUBOUT could be part of the expected modify schema, thereby concluding that the student was trying to modify the program, but neglected to LIST the program first.

#### Giving advice

Once the Coach system has recognized an error, it can give advice to the student. Three important issues come into focus here: 1) Should the advice be given immediately or should students be allowed an opportunity to detect and correct errors on their own? 2) At what level should the advice be phrased (e.g. Should the advice be in terms of program functions or individual keypresses)? 3) What should be done if the student does not respond to the advice?

Coach decides when to give advice based on its model of the student. Advice is given relatively soon when the student is unfamiliar with the concept at issue. When the student has successfully used the relevant concept earlier, advice is delayed to allow the student to debug the program without help. Each schema in the Coach system corresponds to a concept in the FLOW instructional course. Coach maintains a semantic network representation of the student's experience with each of the schemas. Originally schemas are not associated with the student model. When the student reads about a concept in the instructional manual, Coach notes in the student model that that student "read about" the corresponding schema. When the student successfully completes the schema for the first time, it is noted as "used", and when the student completes the schema a second time Coach notes that the student "mastered" the schema.

We can see how this information in the student model is used by continuing the analysis of the "out of order" problem. On line 34 of Figure 8 Coach has inferred that the RUBOUT key was part of an attempt to modify the program, but was out of order. The advice will therefore be given at the level of the modify schema. As indicated in the next line, Coach finds from the model of the student that the student has read about modifying programs, but has never done any modification. Based on this information, the out-of-order schema decides to give advice immediately. (It had already allowed a 40 second pause before attempting to interpret the RUBOUT key.) Coach would have waited for an

<sup>1.</sup> Only the R, W, and L keys, for the RUN, WALK, and LIST commands are legal at this point. Syntactically illegal keys have no effect in the FLOW system. The illegal key is displayed briefly on the terminal screen and then erased as the terminal beeps.

```
Current agenda
2
        agenda
                                  *02580
                 out-of-order
                 out-of-order
                                  *02592
                 manual manual-02605
5
6
        Out-of-order ( RUBOUT ) waiting for 40 seconds
        Expecting pause (40) (40)
        Expecting quiet nil
                             00965 quiet.
9
        OBSERVING
10
        Student completed quiet (965)
11
          --section omitted--
12
        Expecting quiet nil
        OBSERVING
13
                             00998 quiet.
14
        Student completed quiet ( 998 )
15
        Student is still pausing after 44 seconds. Student completed pause ( 40 ) ( 40 )
16
17
        targetset is
18
        *02627
19
                 isainverse
                                  unexpected-pause
20
                 isainverse
                                  L
21
                 isainverse
                                  List
22
                 isainverse
                                  modify
23
                 isainverse
                                  problem
24
                 isainverse
                                  paragraph
25
                 isainverse
                                  manual
26
        bfsearch starting at RUBOUT
27
        searching along part-of
28
        bfsearch checking character-delete
        bfsearch checking change-statement-number
29
30
        bfsearch checking insert
31
        bfsearch checking delete
32
        bfsearch checking append
33
        bfsearch checking modify
34
        bfsearch found modify
35
        Out-of-order found student read about modify
36
        Therefore will give help immediately
37
        TUTOR
                  I think you are trying to modify your program
38
                You should list your program first.
```

Figure 8. An excerpt of the Coach trace (Part 3).

additional 20 second pause before giving advice if the student had actually used the *modify* schema successfully on some previous occasion, or waited for a 40 second pause if the student had mastered the *modify* schema. The teaching strategy here is to give students a chance to work out their own problems if they seem to know the required concepts, but to give help early when they are dealing with new concepts.

The actual advice which Coach gives is generated fairly simply. Out-of-order has assumed that the problem is with the modify schema. It examines the suspended modify schema and finds that modify is currently searching for a List schema. Out-of-order has an advice frame which looks like:

"I think you are trying to <schema>.

You should <current child of schema> first."

The bracketed arguments in the advice frame are filled in with phrases associated with the corresponding schemas, and Coach produces the advice shown in lines 37 and 38.

Whenever Coach gives advice to perform a specific task, in this case to list the program, it invokes a monitor to ensure that the student performs that task correctly. In this case, the monitor checks the model of the student, finds that the student has used the LIST command once, and decides to allow a 20 second pause before giving further advice. Monitor essentially narrows Coach's focus of attention. As long as the student does not change the state of the FLOW system, Coach looks only for completion of the List schema or the 20 second pause. Other non-critical information is ignored. The level of Coach's attention has also changed. Coach originally thought the problem was at the level of the modify schema, and advised the student to list the program. With this particular student, however, that advice was not effective because the student had forgotten how to list the program. As we have seen, Coach's attention has now shifted to the List schema, and subsequent advice at that level led the student out of difficulty.

## Finding children

So far, I have not described in detail how a schema looks for its children. In most of the cases we've examined, the parent schema instantiates a new schema for its children and activates the schema. But activation of a new schema is the last resort after the parent has made three other attempts to find its child. In order to take advantage of data-driven and suspended processing, the parent schema must first check to see if a suitable child already exists before activating an entirely new schema.

Schemas search for their children using the "absent" procedure, which instantiates a schema for the child and then tries to find an available schema which "matches" the new instance. A schema is said to match the instance if it has the same name, and the same or more constrained arguments. The search for a suitable child proceeds in four steps.

First, the "absent" procedure checks for a matching orphan (i.e. a schema without a parent). For example, on line 13 of Figure 6, the *unexpected-pause* schema finds an orphaned *quiet* schema which it preempts. Preempting an orphaned schema can have side effects, if that orphan has suggested other schemas. On lines 16 and 17 in Figure 9 an unexpected D schema suggested schemas for two different FLOW statements which it could be part of (display-quoted-string and display-variable). Later on line 33, when another *display-quoted-string* schema, (which had been a conceptually-guided prediction), preempts the D schema, the support for the two suggested schemas collapses and they are removed from the agenda. This is consistent with the general rule that a schema may have only one parent at a time.

Second, if an appropriate orphan is not found, the parent schema is checked to see if it has previously activated and suspended this child. If so, the suspended schema is reactivated. There are many

```
-- section omitted--
2
        Student completed change-statement-number ( 11 ) ( 19 )
3
        Expecting display SPACE
4
        Expecting display-quoted-string anything SPACE
        Expecting D nil
6
        OBSERVING
                        01113 SPACE.
7
          --section omitted--
8
        Expecting quiet nil
9
                        01127 D.
        OBSERVING
10
        currentline
                contains #00602
11
                                   [ 0 nil ]
                                   [1 (1105)]
12
                contains #02802
                contains #02808
                                   [5 (1107)]
13
                contains #02853
                                   [ D ( 1127 ) ]
14
15
        The current state is now DISPLAY
        D ( 1127 ) suggests display-quoted-string nil
16
        D ( 1127 ) suggests display-variable nil
17
18
        Did not observe quiet nil
19
        Student paused for 14 seconds.
20
        Did not observe pause (40) (40)
21
        Current agenda
22
        agenda
23
                manual manual-02841
24
                                         *02854
                display-quoted-string
25
                                         *02855
                display-variable
                                         paragraph-02840
26
        Reactivating suspended schema
27
                                        problem-02838
        Reactivating suspended schema
28
        Reactivating suspended schema
                                        modify-02836
29
        Reactivating suspended schema
                                        insertf-02834
                                         insertt-02832
30
        Reactivating suspended schema
31
        Reactivating suspended schema
                                         display-02830
                                         display-quoted-string-02828
32
        Reactivating suspended schema
33
        display-quoted-string ( 15 ) SPACE preempts D ( 1127 )
34
        display-variable nil collapses.
35
        display-quoted-string nil collapses.
36
        Expecting qstring SPACE
37
        Expecting QUOTE nil
38
        OBSERVING
                        01128 SPACE.
39
          --section omitted--
40
        Student completed QUOTE ( 1175 )
41
        Expecting SPACE anything
42
        OBSERVING
                        01177 SPACE.
43
        currentline
44
                contains *00602
                                    [ 0 nil ]
45
                contains #02802
                                    [1 (1105)]
46
                contains #02808
                                    [5 (1107)]
                                    [D(1127)]
47
                contains *02853
                                    [ QUOTE ( 1175 ) ]
48
                contains *02871
                                    [ SPACE ( 1177 ) ]
49
                contains #02944
50
        Student has used SPACE once.
51
        Student completed SPACE ( 1177 )
52
        Expecting QUOTE nil
                        01178 QUOTE.
53
        OBSERVING
```

Figure 9. An excerpt of the Coach trace (Part 4).

instances of the reactivation of a child in the Coach trace. For example in lines 24 - 28 of Figure 6, a series of suspended schemas are reactivated and reactivate their children in turn. A schema has access only to suspended schemas for children which it originally activated.

Third, if there was no suspended child, "absent" looks for a matching schema which has been suggested and placed on the global agenda. If found, the schema is taken off the agenda and activated directly rather than having to wait its turn. This happens relatively infrequently, and there are no examples of "taking a suggestion" in this section of the Coach trace.

Fourth, the newly instantiated schema itself is activated. This is the normal case as conceptually-guided predictions are generated, for example in lines 2 - 6 of Figure 4. In all cases the new child is linked to the parent schema. The child will be unlinked later if it does not successfully complete itself.

#### Discussion

The original intent in building the Coach system was to explore how a human tutor interprets the student's behavior and gives advice, rather than to build a complete instructional system. In terms of a working CAI system, there are a number of limitations in the present implementation of the Coach system. The schemas in the current system cover only the material presented in the first half of the FLOW instruction manual (about 30 minutes of instructional time.) In addition, the current set of error schemas are sufficient for only a portion of the errors which we have seen in students. These limitations primarily reflect the fact that Coach is currently implemented on a minicomputer with limited memory size. There is no reason in principle that the number of schemas could not be enlarged to handle a wider range of material. At this point it is not clear what the ultimate limits of this approach are. A more serious source of limitations is that Coach predicts the student's solution of programming problems by solving the problems itself. With more complex programming problems, this would not be possible; we would be faced with all the difficulties of automatic programming.

The functioning of schemas in the Coach system does not properly simulate our models of human thought in some areas. For instance, only one schema is active at a time. A more attractive model of human perception is one in which many schemas are simultaneously active, competing for the data and substructures, and interacting with each other to give alternate perspectives on the environment. Some of the assumptions and restrictions built into the Coach system are based more on intuition than psychological theory. For example, in the Coach system, schemas can have only one parent at a given time. This was intended to correspond to the idea that we cannot interpret data (such as a Necker cube) from two different perspectives simultaneously. But one could also argue the opposite position, that two high level schemas could share a lower level structure. Related to these objections is the problem that there is no good way to evaluate a system of this type. It is encouraging that the system works over some limited range of environments, but other approaches, such as production systems, also perform satisfactorily and there is no straightforward way to determine which is a "better" simulation of the human tutor.

Nonetheless the Coach system has a number of significant features. It is a well specified description of a schema-based system for interpreting complex events. Specific information, including a model of the student, is represented in a semantic network database. Generic knowledge is represented with active schemas which search for their children, modify the internal knowledge base, and perform actions in the external world. Schemas may be referred to only by their names and arguments. Schemas which do not have a parent may suggest or invoke possible parents, thus influencing their own interpretation.

Interpretation of events is based on the interaction of conceptually-guided and data-driven processing. These two processing modes interface when a schema searches for its children by examining orphaned and suggested schemas before instantiating new schemas. Errors and unexpected-events are interpreted in the same manner as correct or expected events: the corresponding schemas are activated by either conceptually-guided prediction or data-driven invocation and "interpret" lower-level schemas by incorporating acceptable ones into their structure. The level of advice given to the student derives naturally from the fact that intelligence and processing are distributed among schemas at all levels: the schema which detects an error gives advice at its own level. Thus a schema-based intelligence gives the Coach system many of the surface behaviors and underlying processes which human tutors appear to have.

#### References

- Carbonell, J. R. Al in CAI: an artificial-intelligence approach to computer-assisted instruction. *IEEE Transactions on Man-Machine Systems*, 1970, MMS-11, 190-202.
- Gentner, D. R. Toward an intelligent automated tutor. In H. F. O'Neil, Jr. (Ed.) Procedures for Instructional Systems Development New York: Academic Press, 1979.
- Gentner, D. R. & Norman, D. A. *The FLOW tutor: Schemas for tutoring* (Tech. Rept.). La Jolla, Calif.: University of California, San Diego, Center for Human Information Processing, 1977.
- Norman, D. A., Rumelhart, D. E., & the LNR Research Group. Explorations in cognition. San Francisco: Freeman, 1975
- Raskin, J. Flow language for computer programming. Computers and the Humanities, 1974, 8, 231-237.
- Sleeman, D. H., & Brown, J. S. (Eds.). Intelligent tutoring systems. *International Journal of Man-Machine Studies*, 1979, 11, 1-156.

Dr. Ed Aiken Navy Personnel R&D Center San Diego, CA 92152

Havy

- 1 Dr. Robert Blanchard Navy Personnel RAD Center Managment Support Department San Diego, CA 92151
- Dr. Jack R. Borsting Provest & Academic Dean U.S. Naval Postgraduate School Monterey, CA 93940
- 1 Dr. Robert Breaux Code N-71 NAVTRAEQUIPCEN Orlando, FL 32813
- 1 Mr. James S. Duva Chief, Human Factors Laboratory Naval Training Equipment Center (Code N-215) Orlando, Florida 32813
- DR. PAT FEDERICO NAVY PERSONNEL RAD CENTER SAN DIEGO, CA 92152
- Dr. John Ford Navy Personnel R&D Center San Diego, CA 92152
- 1 LT Steven D. Harris, MSC, USN Code 6021 Naval Air Development Center Warminster, Pennsylvania 18974
- 1 Dr. Norman J. Kerr Chief of Naval Technical Training Naval Air Station Memphis (75) Millington, TN 38054
- 1 Dr. Leonard Kroeker Navy Personnel R&D Center San Diego, CA 92152
- 1 Library Navy Personnel R&D Center San Diego, CA 92152
- 6 Commanding Officer Naval Research Laboratory Code 2627 Washington, DC 20390
- 1 JOHN OLSEN CHIEF OF NAVAL EDUCATION & TRAINING SUPPORT PENSACOLA, FL 32509
- 1 Psychologist ONR Branch Office 495 Summer Street Boston, MA 02210
- 1 Psychologist OHR Branch Office 536 S. Clark Street Chicago, IL 60605
- 1 Office of Naval Research Code 200 Arlington, VA 22217
- 1 Office of Naval Research Code 437 800 N. Quincy SStreet Arlington, VA 22217
- 5 Personnel & Training Research Programs (Code 458) Office of Haval Research Arlington, VA 22217
- 1 Paychologist
  OFFICE OF NAVAL RESEARCH BRANCH
  223 OLD MARYLEBONE HOAD
  LONDON, NW, 15TH ENGLAND
- 1 Payehologist ONR Branch Office 1030 East Green Street Pasadena, CA 91101
- 1 Dr. Alfred F. Smode Training Analysis & Evaluation Group (TAEG) Dept. of the Navy Orlando, FL 32813
- Dr. Richard Sorensen Navy Personnel R&D Cento. San Diego, CA 92152

- CHAIRMAN, LEADERSHIP & LAW DEPT. DIV. OF PROFESSIONAL DEVELOPMENT U.S. NAVAL ACADEMYY ANNAPOLIS, MD 21402
- 1 Dr. William L. Maloy Principal Civilian Advisor for Education and Training Naval Training Command, Code 00A Pensacola, FL 32508
- 1 Dr. Kneale Marshall Scientific Advisor to DCNO(MPT) OPO1T Washington DC 20370
- 1 CAPT Richard L. Martin USS Francis Marion (LPA-Z49) FPO New York, NY 09501
- 2 Dr. James McGrath Navy Personnel R&D Center Code 306 San Diego, CA 92152
- 1 CDR. MERCER CHET LIAISON OFFICER AFHRL/FLYING TRAINING DIV. WILLIAMS AFB, AZ 85224
  - Dr. George Moeller Head, Human Facors Branch Naval Submarine Medical Research Groton, CN 06340
- 1 Dr William Montague Novy Personnel R&D Center San Diego, CA 92152
- 1 Commanding Officer Naval Health Research Center Attn: Library San Diego, CA 92152
- Naval Medical R&D Command Code 44 National Naval Medical Center Bethesda, MD 20014
- Scientific Director Office of Naval Research Scientific Liaison Group/Tokyo American Embassy APO San Francisco, CA 96503
- Office of the Chief of Naval Operat Research, Development, and Studies (OP-102) Washington, DC 20350
- DR. RICHARD A. POLLAK
  ACADEMIC COMPUTING CENTER
  U.S. NAVAL ACADEMY
  ANNAPOLIS, MD 21402
- Dr. Gary Poock Operations Research Department Naval Postgraduate School Montercy, CA 93940
- Dr. Bernard Rimland Navy Personnel R&D Center San Diego, CA 92152
- Mr. Arnold Rubenstein Naval Personnel Support Technology Naval Material Command (08T244) Room 1044, Crystal Plaza #5 2221 Jefferson Davis Highway Arlington, VA 20360
- Dr. Worth Scanland Chief of Naval Education and Train Code N-5 NA3, Pensacola, FL 32508
- A. A. SJOHOLM TECH. SUPPORT, CODE 201 NAVY PERSONNEL R& D CENTER SAN DIEGO, CA 92152
- Mr. Robert Smith Office of Chief of Naval Operation OP-987E Washington, DC 20350

#### ARMY

Technical Director
U. S. Army Research Institute for
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

- HQ USAREUE & 7th Army ODCSOPS USAAREUE Director of GED APO New York 09403
- DR. RALPH DUSEK
  U.S. ARMY RESEARCH INSTITUTE
  5001 EISENHOWER AVENUE
  ALEXANDRIA, VA 22333
- Dr. Michael Kaplan
  U.S. ARMY RESEARCH INSTITUTE
  5001 EISENHOWER AVENUE
  ALEXANDRIA, VA 22333
- Dr. Milton S. Katz Individual Training & Skill Evaluation Technical Area U.S. Army Research Institute 5001 Elsenhower Avenue Alexandria, VA 22333
- 1 Dr. Beatrice J. Farr Army Research Institute (PERI-OK) 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Dr. Harold F. O'Heil, Jr. Attn: PERI-OK Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333
  - Dr. Robert Sasmor U. S. Army Research Institute for Behavioral and Social Sciences 5001 Eisenhower Avenue Alexandria, VA 22333
- Dr. Frederick Steinheiser U. S. Army Reserch Institute 5001 Eisenhower Avenue Alexandria, VA 22333

#### Marines

- H. William Greenup Education Advisor (E031) Education Center, MCDEC Quantico, VA 22134
- DR. A.L. SLAFKOSKY SCIENTIFIC ADVISOR (CODE RD-1) HQ, U.S. MARINE CORPS WASHINGTON, DC 20380

#### Air Force

- Air Force Human Resources Lab AFHRL/PED Brooks AFB, TX 78235
- Air University Library AUL/LSE 76/443 Maxwell AFB, AL 36112
- Dr. Earl A. Alluisi HQ, AFHRL (AFSC) Brooks AFB, TX 78235
- DR. T. E. COTTERMAN AFHRL/ASR WRIGHT PATTERSON AFB OHIO 45433
- Dr. Genevieve Haddad Program Manager Life Sciences Directorate AFOSR Bolling AFB, DC 20332
- Dr. Donald E. Meyer U.S. Air Force ATC/XPTD Randolph AFB, TX 78148
- Dr. Ross L. Morgan (AFHRL/ASR) Wright -Patterson AFB Ohio 45433
- Dr. Marty Rockway (AFHRL/TT) Lowry AFB Colorado 80230
- Faculty Development Division Headquarters Sheppard Technical Training Center (ATC) Sheppard AFB, TX 76311

- Jack A. Thorpe, Maj., USAF Naval War College Providence, RI 02846
- Brian K. Waters, LCOL, USAF Air University Maxwell AFB Montgomery, AL 36112

Coast Guard

1 Mr. Richard Lanterman PSYCHOLOGICAL RESEARCH (G-P-1/62) U.S. COAST GUARD HQ WASHINGTON, DC 20590

Other DoD

- 1 Dr. Craig J. Fields ADVANCED RESEARCH PROJECTS AGENCY 1400 WILSON BLVD. ARLINGTON, VA 22209
- 12 Defense Documentation Center Cameron Station, Bldg. 5 Alexandria, VA 22314 Attn: TC
- 1 Dr. Dexter Fletcher ADVANCED RESEARCH PROJECTS AGENCY 1400 WILSON BLVD. ARLINGTON, VA 22209
- 1 Military Assistant for Training an-

Personnel Technology Office of the Under Secretary of for Research & Engineering Room 3D129, The Pentagon Washington, DC 20301

Civil Govt

- 1 Dr. Susan Chipman
  Basic Skills Program
  National Institute of Education
  1200 19th Street NW
  Washington, DC 20208
- 1 Mr. James M. Ferstl Bureau of Training U.S. Civil Service Commission Washington, D.C. 20415
- 1 Dr. Joseph I. Lipson Division of Science Education Room W-638 National Science Foundation Washington, DC 20550
- 1 Dr. Joseph Markowitz Office of Research and Development Central Intelligence Agency Washington, DC 20205
- 1 Dr. John Mays National Institute of Education 1200 19th Street NW Washington, DC 20208
- 1 William J. McLaurin Rm. 301, Internal Revenue Service 2221 Jefferson Davis Highway Arlington, VA 22202
- 1 Dr. Arthur Melmed National Intitute of Education 1200 19th Street NW Washington, DC 20208
- 1 Dr. Andrew R. Molnar Science Education Dev. and Research National Science Foundation Washington, DC 20550
- 1 Dr. H. Wallace Sinaiko Program Director Manpower Research and Advisory Services 1 Smithsonian Institution 801 North Pitt Street Alexandria, VA 22314
- 1 Dr. Frank Withrow U. S. Office of Education 400 6th Street SW Wishington, DC 20202
- Dr. Joseph L. Young, Director Memory & Cognitive Processes National Science Foundation Washington, DC 20550

Non-Govt

- Dr. John R. Anderson Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213
- 1 Dr. John Annett Department of Psychology University of Warwick Coventry CV4 7AL ENGLAND
- 1 DR. MICHAEL ATWOOD SCIENCE APPLICATIONS INSTITUTE 40 DENVER TECH. CENTER WEST 7935 E. PRENTICE AVENUE ENGLEWOOD, CO 80110
- 1 Dr. R. A. Avner University of Illinois Computer-Based Educational Research Lal Urbana, IL 61801
- 1 Dr. Alan Baddeley Medical Research Council Applied Psychology Unit 15 Chaucer Road Cambridge CB2 2EF ENGLAND
- 1 Dr. Patricia Baggett Department of Psychology University of Denver University Park Denver, CO 80208
- Mr Avron Barr Department of Computer Science Stanford University Stanford, CA 94305
- 1 Dr. John Bergan School of Education University of Arizona Tuscon AZ 85721
- 1 Dr. Micheline Chi Learning R & D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15213
- Dr. Allan M. Collins Bolt Beranek & Newman, Inc. 50 Moulton Street Cambridge, Ma 02138
- 1 Dr. Meredith P. Crawford American Psychological Association 1200 17th Street, N.W. Washington, DC 20036
- Dr. Hubert Dreyfus
  Department of Philosophy
  University of California
  Berkely, CA 94720
- 1 ERIC Facility-Acquisitions 4833 Rugby Avenue Bethesda, MD 20014
- 1 MAJOR I. N. EVONIC CANADIAN FORCES PERS. APPLIED RESEARCH 1 1107 AVENUE ROAD TORONTO, ONTARIO, CANADA
- Dr. Ed Feigenbaum Department of Computer Science Stanford University Stanford, CA 94305
- 1 Dr. Richard L. Ferguson The American College Testing Program P.O. Box 168 Iowa City, IA 52240
- 1 Mr. Wallace Fourzeig Bolt Beranek & Newman, Inc. 50 Moulton St. Cambridge, MA 02138
  - Dr. Victor Fields Dept. of Psychology Montgomery College Rockville, MD 20850
- 1 Mr. Richards J. Heuer, Jr. 27585 Via Sereno Carmel, CA 92923
  - Dr. Dustin H. Heuston Wicat, Inc Box 986 Orem, UT 84057

- Dr. Nicholas A. Bond Dept. of Psychology Sacramento State College 600 Jay Street Sacramento, CA 95819
- 1 Dr. Lyle Bourne Department of Psychology University of Colorado Boulder, CO 80302
- Dr. Kenneth Bowles Institute for Information Sciences University of California at San Di La Jolla, CA 92037
- 1 Dr. John S. Brown XEROX Palo Alto Research Center 3333 Coyote Road Palo Alto, CA 94304
  - Dr. Bruce Buchanan Department of Computer Science Stanford University Stanford, CA 94305
- DR. C. VICTOR BUNDERSON WICAT INC. UNIVERSITY PLAZA, SUITE 10 1160 SO. STATE ST. OREM, UT 84057
- Dr. Anthony Cancelli School of Education University of Arizona Tuscon, AZ 85721
- Dr. William Chase Department of Psychology Carnegic Mellon University Pittsburgh, PA 15213
- 1 Dr. Edwin A. Fleishman Advanced Research Resources Organ. Suite 900 4330 East West Highway Washington, DC 20014
- 1 DR. ROBERT GLASER LRDC UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15213
- 1 Dr. Marvin D. Glock Department of Education Stone Hall Cornell University Ithaca, NY 14853
- 1 Dr. Ira Goldstein XEROX Palo Alto Research Center 3333 Coyote Road Palo Alto, CA 94304
- DR. JAMES G. GREENO LRDC UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15213
- Dr. Ron Hambleton School of Education University of Massechusetts Amherst, MA 01002
- Dr. Harold Hawkins Department of Psychology University of Oregon Eugene OR 97403
- 1 Dr. Barbara Hayes-Roth The Rand Corporation 1700 Main Street Santa Monica, CA 90406
- 1 Dr. Frederick Hayes-Roth The Rand Corporation 1700 Main Street Santa Monica, CA 90406
- Dr. Stephen Kosslyn Harvard University Department of Psychology 33 Kirkland Street Cambridge, MA 02138

Mr. Marlin Kroger 1117 Via Goleta Palos Verdes Estates, CA 90274

- Library HumRRO/Western Division 27857 Berwick Drive Carmel, CA 93921
- 1 Dr. Earl Hunt Dept. of Psychology University of Washington Seattle, WA 98105
- 1 Dr. Wilson A. Judd McDonnell-Douglas Astronautics Co. East Lowry AFB Denver, CO 80230
- Dr. Walter Kintsch Department of Psychology University of Colorado Bourder, CO 80302
- Dr. David Kieras Department of Psychology University of Arizona Tuscon, AZ 85721
- 1 Dr. Kenneth Klivington Alfred P. Sloan Foundation 630 Fifth Avenue New York, NY 10020
- 1 Dr. Mazie Knerr Litton-Mellonics Box 1286 Springfield, VA 22151
- 1 Dr. Stuart Milner Department of Education George Mason University 4400 Fairfax Drive Fairfax, VA 22030
- 1 Dr. Allen Munro Univ. of So. California Behavioral Technology Labs 3717 South Hope Street Los Angeles, CA 90007
- 1 Dr. Jesse Orlansky Institute for Defense Analysis 400 Army Navy Drive Arlington, VA 22202
- Dr. Seymour A. Papert
  Massachusetts Institute of Technolog 1
  Artificial Intelligence Lab
  545 Technology Square
  Cambridge, MA 02139
- 1 Dr. James A. Paulson Portland State University P.O. Box 751 Portland, OR 97207
- 1 MR. LUIGI PETRULLO 2431 N. EDGEWOOD STREET ARLINGTON, VA 22207
- DR. PETER POLSON
  DEPT. OF PSYCHOLOGY
  UNIVERSITY OF COLORADO
  BOULDER, CO 80302
- 1 DR. DIANE M. RAMSEY-KLEE R-K RESEARCH & SYSTEM DESIGN 3947 RIDGEMONT DRIVE MALIBU. CA 90265
- DR. ROBERT J. SEIDEL
  INSTRUCTIONAL TECHNOLOGY GROUP
  HUMPRO
  300 N. WASHINGTON ST.
  ALEXANDRIA, VA 22314
- 1 Dr. Robert Smith Department of Computer Science Hutgers University New Brunswick, NJ 08903
- Dr. Richard Snow School of Education Stanford University Stanford, CA 94305
- 1 Dr. Robert Sternberg Dept. of Psychology Yale University Box 114, Yale Station New Waven, CT 06520

- 1 LCOL. C.R.J. LAFLEUR PERSONNEL APPLIED RESEARCH NATIONAL DEFENSE HQS 101 COLONEL BY DRIVE OTTAWA, CANADA KIA 0K2
- 1 Dr. Jill Larkin Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213
- Dr. Alan Lesgold Learning R&D Center University of Pittsburgh Pittsburgh, PA 15260
- Dr. Robert Linn College of Education University of Illinois Urbana, 11, 61801
- Dr. Mark Miller
  Systems and Information Sciences L
  Central Research Laboratories
  TEXAS INSTRUMENTS, INC.
  Mail Station 5
  Foat Office Box 5936
  Dallas, TX 75222
- Dr. Richard B. Millward Dept. of Psychology Hunter Lab. Brown University Providence, RI 82912
- 1 MIN. RET. M. RAUCH
  P II 4
  BUNDESMINISTERIUM DER VERTEIDIGUNG
  POSTFACH 161
  53 BONN 1, GERMANY
- 1 Dr. Peter B. Read Social Science Research Council 605 Third Avenue New York, NY 10016
- Dr. Mark D. Reckase
  Educational Psychology Dept.
  University of Missouri-Columbia
  12 Hill Hall
  Columbia, MO 65201
  - Dr. Fred Reif SESAME c/o Physics Department University of California Berkely, CA 94720
- Dr. Andrew M. Rose
  American Institutes for Research
  1055 Thomas Jefferson St. NW
  Washington, DC 20007
- Dr. Ernst Z. Rothkopf Bell Laboratories 600 Mountain Avenue Murray Hill, NJ 07974
- Dr. David Rumelhart Center for Human Information Processing C-009 UC San Diego La Jolla, CA 92093
- 1 PROF. FUMIKO SAMEJIMA DEPT. OF PSYCHOLOGY UNIVERSITY OF TENNESSEE KNOXVILLE, TN 37916
- Dr. Allen Schoenfeld Department of Mathematics Hamilton College Clinton, NY 13323
- Dr. John Thomas IBM Thomas J. Watson Research Cent P.O. Box 218 Yorktown Heights, NY 10598
- DR. PERRY THORNDYKE
  THE RAND CORPORATION
  1700 MAIN STREET
  SANTA MONICA, CA 90406
- Dr. Douglus Towne Univ. of So. California Behavioral Technology Labs 3717 South Hope Street Los Angeles, CA 90007

- 1 DR. ALBERT STEVENS BOLT BERANEK & NEWMAN, INC. 50 MOULTON STREET CAMBRIDGE, MA 02138
- 1 Dr. Thomas Sticht HumRRO 300 N. Washington Street Alexandria, VA 22314
- 1 Dr. David Stone ED 236 SUNY, Albany Albany, NY 12222
- DR. PATRICK SUPPES
  INSTITUTE FOR MATHEMATICAL STUDIES IN
  THE SOCIAL SCIENCES
  STANFORD UNIVERSITY
  STANFORD, CA 94305
- 1 Dr. Kikumi Tatsuoka Computer Based Education Research Laboratory 252 Engineering Research Laboratory University of Illinois Urbana, IL 61801
- 1 Col. Frank Hart's address is now Army Research Institute 5001 Eisenhower Ave. Alexandria, VA 22333
- 1 DR. GERSHON WELTMAN PERCEPTRONICS INC. 6271 VARIEL AVE. WOODLAND HILLS, CA 91367
- 1 DR. JOHN D. FOLLEY JR. APPLIED SCIENCES ASSOCIATES INC BOX 158 VALENCIA, PA 16059
- 1 DR. KAY INABA 21116 VANOWEN ST CANOGA PARK, CA 91303
- 1 Shelly L. Wilson Navtraequipcen, Code N-71 Orlando, Fla. 32813
- Larry Barsalon
  Dept. of Psychology
  Stanford University
  Stanford, CA 94305
- Dr. J. Uhlaner Perceptronics, Inc. 6271 Variel Avenue Woodland Hills, CA 91364
- 1 Dr. Benton J. Underwood Dept. of Psychology Northwestern University Evanston, IL 60201
- 1 Dr. Phyllis Weaver Graduate School of Education Harvard University 200 Larsen Hall, Appian Way Cambridge, MA 02138
- 1 Dr. David J. Weiss N660 Elliott Hall University of Minnesota 75 E. River Road Minneapolis, MN 55455
- Dr. William B. Whitten, II Department of Psychology SUNY, Albany 1400 Washington Avenue Albany, NY 12222
- Dr. Karl Zinn Center for research on Learning and Teaching University of Michigan Ann Arbor, MI 48104



- 1 Pat Langley Psychology Dept. CMU Pittsburgh, PA 15213
- 1 Dr. S. A. Cerri Italiaans Seminarium Universiteit van Amsterdam Single 132-134 Amsterdam
- 1 Mr. A. Finelli, Librarian Université de Paris VI Institut de Programmation Nibliothèque 4 Pluce Jussieu, Tour 55, 75230 Paris CEDEX 05 FRANCE
- 1 Erik de Corte Professor of Educational Psychology Department of Psychology Vesaliusstraat 2 B-3000 Leuvein BELGIUM
- 1 Elliot Soloway Department of Computer Sciences University of Massachusetts Amherat, Mass. 01003
- 1 Mike Cohen Teaching and Instruction Program National Institute of Education 1200 19th Street NW Washington, DC 20208
- 1 Tom Baranowski
  Dept. of Community Medicine
  West Virginia University Medical Center
  3110 MacCorkle Ave., SE
  Charleston, WV 25304
- 1 B. Rogoff Department of Psychology University of Utah Salt Lake City, Utah 84112

THE PASE IS BEST QUALITY PLACE OF COPY POSSESSED TO DDG